

С*гурКеу* Instant. Ver 6.X 7

Rev. CK2507 - INS - 01G

0		()
	: 855-0611	5 40 : 855-0618	3 (:152-055) URL : <u>http://www.hyubwoo.com</u>
Cop	: pyright© 2005, by HYUBWOO INFO	2005 D. TECH. CO., L	TD. All rights reserved.
가.	. ,		, . НІТ

- 1.
- 2. CrypKey Instant
 - 2-1 Select Files

-

-

- 2-2 CrypKey
- 2-3
- 2-4 Interface
- 2-5 Security Type
- 2-6 Casper
- 2-7 Configuration
- 2-8 Begin Protection
- 3. SiteKey Generator
 - **3-1 Configure**
 - 3-2
 - 3-3 Summary
- 4.

1.

CrypKey Instant

, CrypKey Instant Example.exe ' CrypKey Sitekey Generator ' CrypKey , Example.exe 가 → CrypKey Instant Example.exe ' \rightarrow exeample.exe , 1 . , 가 . Site Code 가 , License Configuration Enter' License Configuration Protected Calculator 2 runs left out of 3 Press the <Enter> key to configure your license. [1]

.

License Configuration

, Display Site Code..

Protected Calculator - License Configuration Program License Help English Image: state code: Display Site Code Validate Site Code: Display Site Code Validate Site Key: Validate Image: state configurable message box. If this were your program, you can easily put your custom tailored message here. You can even put your own hotlink to you Web or email, like this: CrypKey (Canada) Inc. sales@crypkey.com) To demonstrate the power of CrypKey Instant, we have protected the	
rogram License Help English Image: Ima	
1 run left out of 3	t out of 3 Display Site Code <u>Validate</u> <u>Istant Demonstration</u> urable message box. If this were your program, you r custom tailored message here. You can even put you Web or email, like this: <u>Inc.</u> <u>m</u>)
Site Code: Display Site Code	-
Site Key:	
CrypKey Instant Demonstration	-
(This is the configurable message box. If this were your program, you can easily put your custom tailored message here. You can even put your own hotlink to you Web or email, like this: <u>CrypKey (Canada) Inc.</u>	
sales@crypkey.com)	
To demonstrate the power of CrypKey Instant, we have protected the familiar Calculator program.	
This is set to give a 3 run trial automatically, but you can give customers runs or time trials of any size. Once the trial has expired, to continue	•

[2] License Configuration

.

License Agreement		'Yes'	, Site Code
4	,	4	PC



[3] License Agreement

📰 Protected Calculator - License Configuration	_ 🗆 🗵
<u>P</u> rogram <u>L</u> icense <u>H</u> elp English	
1 run left out of 3	
Site Code: AF4A D986 81E8 BB18 2E	were f
Site Key:	Validate
CrypKey Instant Demonstration (This is the configurable message box. If this were your pro- can easily put your custom tailored message here. You can your own hotlink to you Web or email, like this: <u>CrypKey (Canada) Inc.</u> <u>sales@crypkey.com</u>) To demonstrate the power of CrypKey Instant, we have prote familiar Calculator program. This is set to give a 3 run trial automatically, but you can give	ected the
runs or time trials of any size. Once the trial has expired, to c	ontinue 🗾

•

$, \rightarrow$	→ CrypKey Instant	'Sitekey	Generator' .
' 4'	'Site Code'		Sitekey Generator
'Site	Code' .	'Check'	
'Producť	'example.exe', 'Password'	'KENONIC'	

,

🔐 CrypKey Site Key Generator 6,0		<u>- 🗆 ×</u>
Crypkey. 🕺 Configure 🗍 License	🗯 Su <u>m</u> mary	🗙 E <u>x</u> it
1 Issue to:		(optional)
Verify Site Code Site codg: AF4A D986 81E8 BB18 2E Product: example.exe Password: KENONIC Check Hard drive serial number: Serial number info EasyLicense Add to existing license Curlimited Days:	Level: 0 Ogtions: 02: 03: 04: 05: 06: 07: 08: 09: 10: 11: 11: 04: 05: 06: 06: 07: 08: 09: 11: 11: 04: 05: 05: 06: 05: 05: 06: 05: 06: 05: 06: 05: 06: 05: 06: 05: 06: 05: 06: 05: 06: 06: 09: 09: 09: 09: 09: 09: 09: 09	5 • •
Image: Networked license Image: Display license License count: 3 Image: Display license 1 Image: Display license 1		

[5] Crypkey site Key Generator

< 5> 'Duration' 'Limit by days' 'Days' '3' , 'Generate' •

'Sitekey' , < 4> 'Sitekey'

📲 CrypKey Site Key Generator 6,0	
CrypKey. 🐒 Configure 🎦 Lice <u>n</u> se 🖆	Su <u>m</u> mary 🗙 E <u>x</u> it
1 Issue to:	(optional)
🕗 Verify Site Code 📃 Level:	6
Site codg: AF4A D986 81E8 BB18 2E	
Product: eventile event	0
Password: KENONIC	
Generate > 294D B64B DDF7 ED0C 6D3C B20	D6 5C

[6] Site Key

< 7> 'Validate'





8]

Г



🔜 Calcula	ator									- 🗆 ×
<u>E</u> dit <u>V</u> ie	w <u>H</u> e	lp								
					[0.
C Hex	¢	Dec	O Oct	C Bin		Deg	С	Rad	C G	irad
🗖 Inv		Нур					Bac	k C	E	С
Sta	F-E	L.	1	MC	7	8	9	1	Mod	And
Ave	dms	Ехр	In	MR	4	5	6	*	Or	Xor
Sum	sin	х'у	log	MS	1	2	3	-	Lsh	Not
S	cos	×*3	n!	M+	0	+ -		+	=	Int
Dat	tan	×*2	1/×	PI	A	В	С	D	Е	F

[10] Example.exe

Crypkey Instant

Example.exe '

3

.가

3

2. CrypKey Instant

CrypKey	Instant	;	,	HDD	(,	O/S가
) "CKI. 32	XX"	가		,	
CrypKey							,
	CrypKey Instant				•		
		'CrypKey	Instant'가				
	,		/		/		

2.1 Select Files

🖁 CrypKey Instant 6,0	? ×
<u>F</u> ile <u>C</u> onfiguration <u>H</u> elp	
Select files CrypKey Message Interface Security Type Casper	1
File to Protect	
example\Calc.exe	
Browse	
File to Write	
example\example.exe	
Brows <u>e</u>	
 Append runtime DLLs and "AUTODIST" directory to output file Include NT drivers Try to preserve offset of vendor-specific data Use CrypKey Stealth technology for 32-bit programs (optional purchase) 	
00: Protected Calculator	ion
[11] CrypKey Instant Select Files	

11] CrypKey Instant Select Files

.

.

File to Protect ' Browse
File to Protect CrypKey

Browse '
, C: \Program Files \Your Program \Your Program.exe/dll).

File to Write

File to Protect
Browse '
, C: \Program Files \Your Program \Your Program.exe/dll).

가

• Append Runtime DLLs and "AUTODIST "Directory to Output File

CrypKey Runtime 가 가가,, Windows NT Include NT Drivers 'NT 가,

(,) CrypKey Runtime DLL · , DLL , , Runtime , / , Windows NT () Temporary Folder 가 .



, , (,	Begin Protection '가
• Try To Preserve Offset Vendor-S フト フト フト	pecific Data , Protection 가
・Use CrypKey Stealth technology 가 가)	for 32 bit programs 가 (30 가
1) 가 File to Write '	Example.exe '
2) Configuration '	00:Protected Calculator ' Protection (Calc.exe)
, CrypK Protect ,'File to Write '	ey , 03:(empty) ' File to
, 00 CrypKey	, · ·

3)

7h $\,$ 7h $\,$ 7h $\,$, Append Runtime DLLs and AUTODIST Directory to Output File '

.

2.2 CrypKey

le <u>C</u> onfiguration <u>H</u> elp elect files Cryp <u>K</u> ey <u>M</u> essage Interface S	Security <u>T</u> ype Casper	
Filename: example.exe		
Providence in the second secon		
Maatar keys		
E2C938D2D34678D2E9217C18D78E4648E	466CE49520E92CDD1B	Paste
lise have	-+0001 +00201 02000 TB	1 00/6
050 P150 D1A2 A79D P102	18	Pastal
		- dote
N <u>e</u> twork license check time: 15 🚔] minutes	
Pass option and level information	Option count: 8	
Allow modules to run based on options	Module number: 0	-
Buns-based licenses meter minutes (32-bit)	Minutes per run: 0	-
	minutes permit 10	-
	Fuit Dealin Proto	ction
1: Protected Calculator		

• Filename

,

(XXXXXX.exe/dll) File to Write ' % CRYPKEY (,)

, CrypKey COMMONFILES PROGRAMFILES , , , %COMMONFILES%\ MYDIR \ example.exe ' , PC Program Files ' Common Files ' MYDIR ' 7 CrypKey

• Master Key User Key '00 : Protected Calculator ' , 기・

,

'03 : (empty) ', Master Key User Key 00 : Protected Calculator '

.

• Network License Check Time(. 가) Floating/Network , 가 Client

• Pass Option and Level Information (. 가) 5.2 Level Option ' Option Level Option Count ' Option Level . • Runs - based licenses meter minutes (32 - bit) (. 가 .) .EXE (分) (分) , (分) , • Allow Modules to Execute Based on Enabled Options 1 () / , , Site Key Generator No 3 Option Number 3 , No.3 가 File Name ' éxample.exe ' 1) , Select Files ' File to Write 'éxample.exe가 File Name ' éxample.exe 가 . 2) 가 Stealth

2.3 Message

🖁 CrypKey Instant 6,0	? ×
<u>File</u> <u>C</u> onfiguration <u>H</u> elp	
Select files CrypKey Message Interface Security Type Casper	1
C Use default message:	
<size 14=""><u>CrypKey Instant Demonstration</u><size 8=""> (This is the configurable message box. If this were your program, you can easily put your custom tailored message here. You can even put your own hotlink to you Web or email, like this: <a http:="" www.crypkey.com="">CrypKey (Canada) Inc. <a mailto:sales@crypkey.com="">Sales@crypkey.com) To demonstrate the power of CrypKey Instant, we have protected the familiar Calculator program. This is set to give a 3 run trial automatically, but you can give customers runs or time trials of any size. Once the trial has expired, to continue testing, you can reauthorize this program 2 different</size></size>	
Use file Format code help	
C Use <u>b</u> itmap	
00: Protected Calculator	on

[13] CrypKey Instant Message

,

CrypKey Instant · 가 ,

.

가		7	ŀ	
Use Default Messa	ige			
		,	1,024	
• Use Text File	,	ſ	,	
· 가 ,	1024 가		ćki_?.msg(A ')	? '
Use Bitmap File	,	16	Bitmap	
Bitmap	가 ćki_?.bmp'		,	

2.4 Interface

🖁 CrypKey Instant 6,0	? ×
<u>File</u> <u>C</u> onfiguration <u>H</u> elp	
Select files CrypKey Message Interface Security Type Casper	
Program title: Protected Calculator	
Disable interface	
Require license <u>ag</u> reement *	
Disable transfer commands	
Disable kill lice <u>n</u> se command	
🗖 Disable h <u>e</u> lp menu *	
Language: *	
a: English	
(Languages in "[]" are not authorized. Additional language authorization may be purchased from CrypKey.)	
* = Not available for protected DOS programs	
00: Protected Calculator	on
[14] CrypKey Instant Interface	

Program Title '/ On/Off가 가.

.

Disable Interface				
CrypKey Instant			(,
EXE가 DLL)	•		
Require License Agreement Site Code .		,		
• Disable Transfer Commands		PC		
Disable Kill License Command				
.(, Site Code).	가	Kill License		
Disable Help Menu Help				

.

•

Languages

,

,

2.5 Security Type

🖁 CrypKey Instant 6,0	? X
<u>File Configuration H</u> elp	
Select files CrypKey Message Interface Security Type Casper	
Use Encryption Wrapper	
Enable encryption Encryption Key: 34	
🗖 Becurse subdirectories 🛛 Autorun this file:	
Enable Ready-To-Try	
Trial Restriction	
C Limit by days 3 🛨 2 🛨	
RTT License Defaults	
Level: Options: License count:	
0 0 1 🔂 Networked	
00: Protected Calculator	tion
	_

[15] CrypKey Instnat Security Type

• Encryption Wrapper(. 가) CrypKey Instant ,

"

- 2.1 Select Files
- Ready To Try

, フト フト / フト フト (CrypKey Instant フト).

- Trial Restrition : (Runs) (Days)

.

- RTT License Default : 가가LevelOption(. 가).- Program Version :가

32

가

,

- 1) 'Ready -To -Try " PC
- 2) 가 Site Key Generator 3 , 3

2.6 Casper (. 가 ,)

🖁 CrypKey Instant 6,0	? ×
<u>File Configuration H</u> elp	
Select files CrypKey Message Interface Security Type Casper ✓ Enable Casper Custom Fields Require Currency: US Dollar Contact Information Automatic purchase URL: http://casper.crypkey.com/scripts E-mail subject: Registration Request E-mail address: casper@crypkey.com Common Section Common Section	s
Payment □ Credit card □ Serial number Taxes □ Visa □ MasterCard □ Always ask for personal info	
Casper Product #1	
Product code: Description: Price: 1A26 CrypKey Slot Machine 100	
00: Protected Calculator	
[16] CrypKey Instant CASPER	

16] CrypKey Instant CASPER

.

Casper

, CrypKey Instant

가 Casper

CrypKey Instant

.

2.7 Configuration

CrypKey Instant	100 (00-9	9) .	가
,		Configuration	
Interface '			
Drop-Down List		Configuration(01 '	02 ' 03 '
) ,	Select File '	(2-1) ~ Casper '	(2-6)
		Configuration '	Save

Configuration ' . .

Save Configuration	<u>?×</u>
00: Protected Calculator 01: CrypWrap Demonstration 02: Levels & Options Sample 03: (empty) 04: (empty) 05: (empty) 06: (empty) 07: (empty) 08: (empty) 08: (empty)	
Save	Close

[17] CrypKey Instant

, Save Configuration '		"	Configuration	Overwrite	
가? '	,	NO '	Save Co	ngifuration	As '
Configuration Number					

.

,

2.8 Begin Protection

,

Begin Protection '

•

Protection

[

가

,

2-bit	Win	dow	's p	rog	ram	: P	rote	ecti	on I	Pro	gre	ss				?	1
- Stat Prot	us ectic	on su	icce	ssfu	I.									 			
	1	Π	Ī		T		T	T				1	I	T	T	Î	T
						C		OK									

18] Protection Progress

3. SiteKey Generator

Site Key Genera	ator SiteKe	CrypKey ey	Instant				SiteKey	Generator
Sitekey	가	,						
,		(Run)		가	(I	Day)		
Site Key Genera	itor ,			Site	eKey			
3.1 Configure								
Configure ,		Licens Site Ke	e Defaults y SiteK	s, Optie Čey	on, Lev	vel	37	Ή,
3		Con	figure					

😃 CrypKey Site Key (Generator 6,0			<u> </u>
CrypKey.	Configure	Lice <u>n</u> se	🗲 Summary	🗶 E <u>x</u> it
1 Issue to:				(optional)
Verify Site Code Site code:		ľ	evel:	S

[**19**] CrypKey Site Key Generator

Configure

pplications	License Defaults Options Level
(unnamed) ck_demo.exe example.exe skw.exe Rena <u>m</u> e	□ EasyLicense □ Add to existing license □ Networked license License count: 3 □ Unlimited ○ Limit by days
N <u>e</u> w Dejete	C Limit by runs
V OK Y Cancel	(If supplied, it will be automatically entered for yo

•

[20] Site Key Generator Configure



3.2 SiteKey Generator

🖶 CrypKey Site Key Generator 6,0		
Crypkey. 🕺 C <u>o</u> nfigure 🗍 Lice <u>n</u> se	. 🎽 Su <u>m</u> mary	🗙 E <u>x</u> it
 Issue to: 테스트 예제 		(optional)
Verify Site Code Site code: DA50 0B1B 2C80 EE5C 61 Product: example.exe Password: KENONIC Check Hard drive serial number: Serial number info	Level: 1: Module Test Options: ✓ 01: Sample01 ✓ 02: Sample02 ✓ 03: Sample03 ✓ 04: Sample04 ✓ 05: Sample05	5 - 0
Unused Ouration ✓ Add to existing license ✓ Unlimited ✓ Networked license ✓ Limit by days ✓ License count: 3	N8 E03E E0	
[22] CrypKey Site Ke	y Generator	

22] CrypKey Site Key Generator

SiteKey Generator

Issue to

•

• Verfy Site Code Site Code ' Site Code , Check ' Configure ' Product ' Password ' 가 (: KENONIC)가 (: example.exe) 가 Configure ' . , Configure ' Duration 32,768(2^16), 32,768 , 가 • License Count Duration ' PC) (Networked License ' Concurrent 가 License Count ') Fixed (, , 가 License Count ' , Add to Existing License ' SiteKey Generator Site Key(, Duration ' 가 License) Count ' Site Key . , 가 Level (. 가 가 Configure ' , Level

 Options (가 .) Configure ' 가 Option • Generate Generate ' Site Key 가 Site Key ' (Emailing) (Exit) . Hard drive Serial number 가 6.0 가 , • Easy License CrypKey Instant , , , , 가 2가 , ,

yourfilename.keyyourfilename.rst

:

,

3.3 Summary

SiteKey Generator

Summary '

🚛 License Gene	ration Summary				
Double-click an item for more detailed information.				Select log file	
Product	Date	Customer	Copies	Restriction	Level
example.exe	2001-9-22 12:56:54		1	3 Days	0
example.exe	2001-9-22 13:0:47		1	3 Days	0
example.exe	2001-9-22 13:1:33		1	0 Runs	0
example.exe	2001-9-25 13:35:47		5	3 Days	0
example.exe	2001-9-25 13:36:25		1	3 Days	0
example.exe	2001-9-25 13:37:10		1	3 Days	0
example.exe	2001-9-25 13:38:4		1	3 Days	0
example.exe	2001-9-25 13:39:13		1	3 Days	0
example.exe	2001-9-25 13:42:17		1	3 Days	0
example.exe	2001-9-25 13:43:23		1	3 Days	0
example.exe	2001-9-25 13:59:8		1	3 Days	0
example.exe	2001-9-25 14:0:15		1	3 Days	0
example.exe	2001-9-25 17:4:10		1	3 Days	1
example.exe	2001-9-25 17:4:23		1	3 Days	1
	[23	8]		DB	

SiteKey Generator

.

, Product ' Doul

•

Dou	ble -	Clic	:k

License Detail:	s X
Product:	example.exe
Date issued:	2003-1-12 20:59:44
Issued to:	
Туре:	Non-networked (fixed)
Copies:	3
Level:	0
Restriction:	3 Days
Site code:	B74E 1CA9 695F CC52 76
Site key:	02E3 0C80 2867 5F7B ACBC 5466 E4
Drive Info:	Drive serial # is 23441
Options:	
ОК	
ОК	

[24] HDSN

4.

•

[1] 32 -Bit

crp32001,ngn	CrypKey DLL
cki32j.dll	CrypKey Instant DLL
cks.exe, setup.exe	NT
cryp9516f.dll	CrypKey DLL
crp9516f.dll	CrypKey Thunk DLL
ck16mv.exe	Executable File
hdsn1.dll	

cki32.hlp		
cki32j_?.dll	가 .	? "= a()
cki_?.msg	,	Use File '
cki_?.bmp	,	Use Bitmap '
cklicense.hlp		,
	Require License Agreement '	
splash.int	Splash Screen	